

L Number	Hits	Search Text	DB	Time stamp
1	1	090650.APN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:32
2	268	((SIMULATOR OR EMULATOR) AND (RECOGNIZ\$ WITH FORMAT))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:34
3	1	((SIMULATOR OR EMULATOR) AND (RECOGNIZ\$ WITH FORMAT)) AND (EXTENSIB\$ WITH LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:33
4	3	((SIMULATOR OR EMULATOR) AND (RECOGNIZ\$ WITH FORMAT)) AND (EXTENSIB\$ WITH FORMAT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:34
5	266	(RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:34
6	126	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:37
7	0	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND .EXE	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:38
8	39	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND KERNEL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:38
9	37	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND KERNEL) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:44
12	0	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND KERNEL) AND @AD<20020301 AND APPLICATION AND (FORMAT ADJ LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:45
13	0	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND KERNEL) AND @AD<20020301 AND APPLICATION AND (FORMAT NEAR LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:40
10	31	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND KERNEL) AND @AD<20020301 AND APPLICATION AND (FORMAT WITH LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:40
11	34	((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND KERNEL) AND @AD<20020301 AND APPLICATION AND (FORMAT SAME LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:41

14	76	((((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:19
15	0	((((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND @AD<20020301) AND (FORMAT ADJ LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 09:45
16	44	((((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND @AD<20020301) AND (FORMAT WITH LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:19
17	44	((((RECOGNIZ\$ WITH FORMAT) AND (EXTENSIB\$ WITH FORMAT)) AND (LOAD\$3 AND MAP\$4)) AND @AD<20020301) AND (FORMAT WITH LOAD\$3)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:54
18	3091	cabinet with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:28
19	22	(cabinet with file) AND (FORMAT WITH LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:39
20	18	((cabinet with file) AND (FORMAT WITH LOAD\$3)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:28
21	5174	cab\$6 with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:28
22	74	(cab\$6 with file) AND (FORMAT WITH LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:35
23	58	((cab\$6 with file) AND (FORMAT WITH LOAD\$3)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:34
24	1	((cab\$6 with file) AND (FORMAT WITH LOAD\$3)) AND @AD<20020301) and (recogniz\$ with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:34
25	3	((cab\$6 with file) AND (FORMAT WITH LOAD\$3)) AND @AD<20020301) and (recogniz\$ with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:29
26	10	((cab\$6 with file) AND (FORMAT WITH LOAD\$3)) AND @AD<20020301) and emulator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:30
27	83	(cab\$6 with file) and (recogniz\$ with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:34

28	69	((cab\$6 with file) and (recogniz\$ with format)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:51
30	1	((((cab\$6 with file) and (recogniz\$ with format)) AND @AD<20020301) and (recogniz\$ with format)) AND (FORMAT WITH LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:35
31	0	((((cab\$6 with file) and (recogniz\$ with format)) AND @AD<20020301) and (recogniz\$ with format)) AND (exten\$6 WITH LOAD\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:35
29	69	((cab\$6 with file) and (recogniz\$ with format)) AND @AD<20020301) and (recogniz\$ with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:35
32	46	(cabinet with file) AND (window and format and extensible)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:40
33	33	((cabinet with file) AND (window and format and extensible)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:40
34	25	((cabinet with file) AND (window and format and extensible)) AND @AD<20020301 and load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:08
37	339	(cabinet with file) and window and recogniz\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:50
38	285	((cabinet with file) and window and recogniz\$) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:51
39	21	((cabinet with file) and window and recogniz\$) AND @AD<20020301) and extensible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:51
40	1	090650.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:06
41	56	(cab\$6 with file) and recogniz\$ and find and bind\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:15
42	15	((cab\$6 with file) and recogniz\$ and find and bind\$2) and package and (load\$3 or install\$8 or setup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:10
43	12	((cab\$6 with file) and recogniz\$ and find and bind\$2) and package and (load\$3 or install\$8 or setup)) AND @AD<20020301 and load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:10

44	50	((cab\$6 with file) and recogniz\$ and find and bind\$2) and (load\$3 or install\$8 or setup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:10
45	36	((cab\$6 with file) and recogniz\$ and find and bind\$2) and (load\$3 or install\$8 or setup)) AND @AD<20020301 and load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:11
46	9	((cab\$6 with file) and recogniz\$ and find and bind\$2) AND @AD<20020301 and "707"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:16
47	1480	(cab\$6 with file) and recogniz\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:16
48	176	((cab\$6 with file) and recogniz\$) AND @AD<20020301 and "707"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:33
49	11	((cab\$6 with file) and recogniz\$) AND @AD<20020301 and "707") and (extensible)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:32
51	9	((cab\$6 with file) and recogniz\$) AND @AD<20020301 and "707") and (extensible) and (load\$3 or install\$7 or setup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:17
52	5	(cabinet with file) and extensible and sms and recogniz\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:33
53	16	(cabinet with file) and sms and recogniz\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:34
54	2	((cabinet with file) and sms and recogniz\$) AND @AD<20020301 and "707"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:34
55	679	(cabinet with file) and recogniz\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:34
56	98	((cabinet with file) and recogniz\$) AND @AD<20020301 and "707"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:53
57	8	((cabinet with file) and recogniz\$) AND @AD<20020301 and "707") and find\$3 and bind\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:35
58	15	((cabinet with file) and recogniz\$) AND @AD<20020301 and (file with format) and find\$3 and bind\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:39

59	552	(software with package) AND @AD<20020301 and (file with format) and find\$3 and bind\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:42
60	323	((software with package) AND @AD<20020301 and (file with format) and find\$3 and bind\$3) and (load\$3 or install\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:39
61	28968	((software with package) AND @AD<20020301 and (file with format) and find\$3 and bind\$3) and (load\$3 or install\$5)) an map\$4 and (recogniz\$ with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:42
62	30	((software with package) AND @AD<20020301 and (file with format) and find\$3 and bind\$3) and (load\$3 or install\$5)) and map\$4 and (recogniz\$ with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:40
63	2921	(software with package) AND @AD<20020301 and (file with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:42
64	31408	((software with package) AND @AD<20020301 and (file with format)) an map\$4 and (recogniz\$ with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:42
65	174	((software with package) AND @AD<20020301 and (file with format)) and map\$4 and (recogniz\$ with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:42
66	116	((software with package) AND @AD<20020301 and (file with format)) and map\$4 and (recogniz\$ with format)) and (load\$3 or install\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:43
67	50	((software with package) AND @AD<20020301 and (file with format)) and map\$4 and (recogniz\$ with format)) and (load\$3 or install\$5)) and "707"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:51
68	238	(cabinet with file) and (file with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:51
69	0	((cabinet with file) and (file with format)) and map\$4 and salutation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:52
70	86	((cabinet with file) and (file with format)) and map\$4 and (load\$3 or install\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:53
71	23	((cabinet with file) and (file with format)) and map\$4 and (load\$3 or install\$6)) AND @AD<20020301 and "707"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:28
80	957	recogniz\$ adj format	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:28

81	15	(recogniz\$ adj format) and (plug\$4 with play)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:33
82	8	((recogniz\$ adj format) and (plug\$4 with play)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:29
83	18	(recogniz\$ adj format) and (plug\$4 with play\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:29
84	10	((recogniz\$ adj format) and (plug\$4 with play\$3)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:33
85	116	(recogniz\$ adj format) and (plug\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:33
86	95	((recogniz\$ adj format) and (plug\$4)) AND @AD<20020301	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:33
87	52	((recogniz\$ adj format) and (plug\$4)) AND @AD<20020301) and map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:34
88	18	((recogniz\$ adj format) and (plug\$4)) AND @AD<20020301) and map\$4) and (file with format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:34